ERAS
1441 1446

ASSEMBLY INSTRUCTIONS

BDIUSA.COM CUSTOMERSERVICE@BDIUSA.COM

Placement and Maintenance
ERAS tables are designed for indoor use on level floors. Clean wood veneer with a moist cloth.



Eras 1446 End Table



Eras 1441 Coffee Table

Component List
ERAS tables are engineered for easy assembly. Carefully follow this procedure to prevent any damage.
Unpack and identify the components. The assembly workspace should be a non-marring surface such as clean carpet.
For missing hardware pieces, please contact BDI Customer Service at customerservice@bdiusa.com.
For all other concerns, please contact your BDI Retailer.



A - 4mm Hex Driver x 1
For Screws



A2 - Phillips
Screwdriver x 1

B - 5mm Hex Wrench x 1
For Cam and Bolt

C1 C2



C1 - Cam and **C2** - Cam Bolt x 4

D - 8 x 40mm Dowels x 4

E - 1/4-20 x 63mm Screws
1441 x 8
1446 x 6

F - M4 x 25mm Screws
1446 x 2

G - Handle
1446 x 1

H - Table x 1
I - Long Base Rails x 2
J - Short Base Rails x 2
K - Sliding Doors 1441 x 2

Please Note:
Eras 1441 Coffee Table illustration shown.
Other Eras model's components will differ in appearance.



Designed by: Noah Packard
These distinctive product configurations are protected by US and international patents, trade dress, and/or copyright laws.
BDI are trademarks of Becker Designed, Inc.
All Rights reserved. © 2012 BDI
1441 1446 Revision: 05-11-12

Step 1
Assemble Base
Insert **Cams (C1)** into **Short Base Rails (J)** with the hole opening facing the **Long Base Rail (I)**. Insert **Dowels (D)** into **Long Base Rails (I)**. Insert threads of **Cam Bolt (C2)** into inserts in **Long Base Rails (I)**.





Step 2
Tighten Cams in Base
Tighten **Cams (C1)** in **Short Base Rails (J)** using **Phillips Screwdriver (A2)**.





Step 3
Attach Base to Table Bottom
Place assembled base onto table bottom. Insert **Screws (E)** into **Base Rails (I and J)** and tighten using **4mm Hex Driver (A)**. After all screws are tightened, turn table over right side up.





Recommended
2-person Step
To turn Table over

Eras 1446 End Table Only

Step 4
Attach Handle
Attach **Handle (G)** to Drawer using **Screws (F)** and tighten with **Phillips Screwdriver (A2)**.





ERAS
1447 1448

ASSEMBLY INSTRUCTIONS

BDIUSA.COM CUSTOMERSERVICE@BDIUSA.COM

Placement and Maintenance
ERAS tables are designed for indoor use on level floors. Clean wood veneer with a moist cloth.



Eras 1447 Open End Table



Eras 1448 Console

Component List
ERAS tables are engineered for easy assembly. Carefully follow this procedure to prevent any damage.
Unpack and identify the components. The assembly workspace should be a non-marring surface such as clean carpet.
For missing hardware pieces, please contact BDI Customer Service at customerservice@bdiusa.com.
For all other concerns, please contact your BDI Retailer.



A - 4mm Hex Driver x 1
For Screws

B - 5mm Hex Wrench x 1
For Cam and Bolt



C1 - Cam and **C2 -** Cam Bolt x 4

D - 8 x 40mm Dowels x 4

E - 1/4-20 x 63mm Screws
1447 x 6
1448 x 10

H - Table x 1

I - Long Base Rails x 2

J - Short Base Rails x 2

K - Sliding Doors 1441 x 2

Please Note:
Eras 1441 Coffee Table illustration shown.
Other Eras model's components will differ in appearance.



Designed by: Noah Packard
These distinctive product configurations are protected by US and international patents, trade dress, and/or copyright laws.
BDI are trademarks of Becker Designed, Inc.
All Rights reserved. © 2011 BDI
1447 1448 Revision: 01-17-11

Step 1
Assemble Base
Insert short threads of **Cam Bolt (C2)** into inserts in **Long Base Rails (I)**. Turn **Cam Bolts (C2)** by hand COUNTERCLOCKWISE to tighten.
Insert **Dowels (D)** into **Long Base Rails (I)**.
Insert **Cams (C1)** into **Short Base Rails (J)** with arrow pointing toward **Long Base Rail (I)**.







Step 2
Tighten Cams in Base
Tighten **Cams (C1)** in **Short Base Rails (J)** using **5mm Hex Wrench (B)**.





Step 3
Attach Base to Table Bottom
Place assembled base onto table bottom. Insert **Screws (E)** into **Base Rails (I and J)** and tighten using **4mm Hex Driver (A)**. After all screws are tightened, turn table over right side up.





Recommended
2-person Step
To turn Table over